


External Dimensions (mm/ inches)



Specifications

Interval Type	Single Interval	Multi-interval	Multi-interval
Capacity	Max. 30 lb	Max. 30 lb	Max. 30 lb
Scale Interval	e = 0.01lb	e = 0.005/0.01 lb	e = 2/5g
Weighing Range	0.20-30 lb	0.20-30 lb	40g-15kg

Model	SM-5500B G (Bench)	SM-5500P G (Pole)	SM-5500B(12.1)G (Bench)	SM-5500H G (Hanging)	SM-5500SSP G (15\" Self-Service)
Dimension	WxDxH mm 385x446x148	385x540x581	385x507x148	359x369x883	385x436x579
	WxDxH inches 15.2x17.6x5.8	15.2x21.3x22.9	15.2x19.7x5.8	14.1x14.5x34.8	15.2x17.2x22.8
Operator Display	7\" WVGA with Touch (800 x 480)	○	—	—	—
	12.1\" TFT SVGA with Touch (800 x 600)	—	○	○	—
	15\" XGA with Touch (1024 x 768)	—	—	—	○
Customer Display	7\" WVGA (800 x 480)	○	○	—	—
	12.1\" TFT SVGA (800 x 600)	—	—	○	—
Display Resolution	1 / 3,000, 1 / 6,000 & 1 / 7,500				
Number of Preset Keys	28 Preset Keys / 23 Alphanumeric Function Keys (For 7\" Operator WVGA with Touch)				
Types	Liner		Linerless With Auto-Cutter		
Roll Diameter	125 mm / 4.9 in (Max)		95 mm / 3.7 in (Max)		
Label / Print Width	80 mm / 3.1 in (Max)		60 mm / 2.4 in (Max)		
Receipt Paper Width	80 mm / 3.1 in (Max)		62 mm / 2.4 in (Max)		
Printing Speed	Up to 150mm (5.9 in) / second**		Up to 150mm (5.9 in) / second**		
Print Resolution	300 dpi		300 dpi		
Power Source	AC 100 / 110 or 220 / 230 / 240 Volts (50 / 60 Hz) Auto Switch				
Operating Temperature	14°F to 104°F				
Humidity	15% to 85% RH				
Standard Interface	RS232C, Ethernet 10 / 100 Base T, 4 x USB 2.0				
Net Weight	12.0 kg / 26.5	14.3 kg / 31.5 lb	16.4 kg / 36.2 lb	16.3 kg / 35.9 lb	18.8 kg / 41.4 lb



SM-5500H G



SM-5500

PC Based System Scale Printer



SM-5500B

Options	AP-3002AN (USB Wireless LAN IEEE 802.11 a / b / g / n), BS-04, eLabel, InfoTag
Factory Option	Linerless Printer with Auto-Cutter, Built-in Scanner, 2nd Receipt Printer, Speed ID

** To achieve maximum print speed, high sensitivity thermal paper is necessary. Contact DIGI for details.



*Specifications are subject to change without prior notice.

DIGI AMERICA Inc.

76 Veronica Ave, Somerset NJ 08873 USA
 Tel: (732) 828 3633
 Email: Marketing@us.digi-group.com
 Web: www.digisystem.com/us



Searching for a New Balance

eLabel..

Seamless Price Updates

Fast and Easy
PLU Retrieval

- Attractive and High Contrast ePaper Display
- Price Integrity
- Improve Counter Productivity
- IP67 Rating
- Operation Temperature: 0°C to +40°C



Hi-Touch

Hi-Touch PLU System

e.Label With Hi-Touch

1.54", 2.7" & 4.2"

- Wireless Remote Preset Keys
- 3-Step Operation
- Reduce Error



Multi-Media Possibilities

Upsell or cross-sell with the multi-media functionality by simply interfacing with the optional 12.1" Remote Display or Customer Display.

Linerless Labeling

Flexible Label Design
with Auto-Cutter

Improves Productivity &
Reduces Downtime

Without the release liner, the number of labels per roll will be increased significantly. This translates to fewer roll changes as well as a reduction in label changing downtime.

- Reduce Label Transportation and Storage Costs
- Minimise Label Inventory
- Reduce Label Wastage
- Flexible Label Design
- Eco-Friendly



InfoTag..

Electronic Shelf Label

Database updates at the server are automatically sent to the InfoTag, ensuring that pricing is in sync with the checkouts at all times.

- Barcode Scanning
- Flexible Design Layout
- Low Energy Consumption
- Accurate Price Information
- High Definition ePaper Display
- Works In Low Temperature Environment
- Effective Interactive Tool



speedID

Intelligent Clerk Recognition

With the near field identification feature, the process of keying in clerk password manually is eliminated. The scale detects the Speed ID tag and automatically registers the clerk.

- Fast Operation
- Clerk Operation Log



Waste management

Reduce Food Wastage

With waste management feature, data can be collected for easy analysis through graphical reports.

Notification can be sent when a product is nearing expiry so that swift actions can be taken to reduce wastage.

Reduce Training Cost with e-Training

Product information, cleaning procedure, hygiene and equipment manual can be displayed on demand for staff training.



Qmanagement

Manage Queue
Status Efficiently

The integrated queue and collection system provides shoppers with the convenience to continue shopping while waiting for their turn to be called, effectively reducing walk-away and increasing sales.

- Q-Alert Application
- Multiple Department Queue
- Customisable Queue / Collection Ticket



Watermark Printing

Brand Awareness

Increase brand awareness and make your product labels more attractive by the versatile use of artistic effects.

Use it to your maximum advantage to increase sales and profits.

Auto-cutter ensures a smooth cut even after long term use.

